

United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations of eligibility for individual properties or districts. See instructions in *Guidelines for Completing National Register Forms* (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, styles, materials, and areas of significance, enter only the categories and subcategories listed in the instructions. For additional space use continuation sheets (Form 10-900a). Type all entries.

1. Name of Property

historic name Chemical Building, Fields Point Sewage Treatment Plant
other names/site number Blower Building

2. Location

street & number Ernest Street (east end, at Fields Point) n/a not for publication
city, town Providence n/a vicinity
state Rhode Island code RI county Providence code 007 zip code 02905

3. Classification

Ownership of Property	Category of Property	Number of Resources within Property	
		Contributing	Noncontributing
<input type="checkbox"/> private	<input checked="" type="checkbox"/> building(s)	<u>1</u>	<u>0</u> buildings
<input type="checkbox"/> public-local	<input type="checkbox"/> district		<u>0</u> sites
<input checked="" type="checkbox"/> public-State	<input type="checkbox"/> site		<u>0</u> structures
<input type="checkbox"/> public-Federal	<input type="checkbox"/> structure		<u>0</u> objects
	<input type="checkbox"/> object	<u>1</u>	<u>0</u> Total

Name of related multiple property listing: Historic and Architectural Resources of Providence, 1636-present (Sewage Treatment, 1895-1935)
Number of contributing resources previously listed in the National Register 0

4. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act of 1966, as amended, I hereby certify that this nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

Signature of certifying official _____ Date _____

State or Federal agency and bureau _____

In my opinion, the property meets does not meet the National Register criteria. See continuation sheet.

Signature of commenting or other official _____ Date _____

State or Federal agency and bureau _____

5. National Park Service Certification

I, hereby, certify that this property is:

entered in the National Register.
 See continuation sheet.

determined eligible for the National Register. See continuation sheet.

determined not eligible for the National Register.

removed from the National Register.

other, (explain:) _____

Signature of the Keeper _____ Date of Action _____

6. Function or Use

Historic Functions (enter categories from instructions)

GOVERNMENT: Public Works

Current Functions (enter categories from instructions)

GOVERNMENT: Public Works

7. DescriptionArchitectural Classification
(enter categories from instructions)LATE VICTORIAN; Other: Industrial
Mill

Materials (enter categories from instructions)

foundation concrete

walls brick

roof asphalt

other

Describe present and historic physical appearance.

The Chemical Building (also known as the Blower Building) is located toward the western edge of the Field Point sewage treatment plant operated by the Narragansett Bay Commission in Providence. It is a 2 1/2 story structure with exterior dimensions of approximately 103' by 38'. Foundations and floors are of concrete, exterior walls are of red brick. The gable roof and its wooden monitor are clad with composition shingling.

The structure of the long north and south exterior walls consists of brick piers that rise to level of the corbelled cornice. On the interior, brick "knees" corbelled out from the tops of these piers support exposed wooden roof trusses. On the exterior, these piers divide each elevation into 9 symmetrically arranged vertical bays. The wall surfaces between piers are pierced by large window openings with bluestone sills. Those of the second story on both elevations have broad segmental arches and paired circular openings in each bay, originally fitted with 1/1 sash and "sidelights". On the north, this story is marked by three small segmental-arched openings in each bay, all of which have been filled in. Centered in the north elevation is a three-level gable-roofed projecting pavilion or "porch", with tall, round-arched entrance, corner pilasters, and corbelled cornice. On the west gable end, which features a corbelled cornice with partial returns, is a square, hipped-roofed brick unit of one room, above which is a large, filled-in window opening. The east gable end, which nearly abuts the adjacent incinerator building, retains a corbelled cornice, but its windows have been filled in.

The interior of the building is essentially one large room, open to the roof trusses, in which are located five air compressors or "blowers". A metal catwalk is located at second story level along the east and north walls.

The Chemical Building, completed in 1901, has experienced a variety of alterations. Ground story windows on the north side have been filled in. Several of the round-arched openings in the south elevation have been enlarged and either filled in or fitted with overhead roll doors. Windows in the east and west gable ends have been modified to contain large louvers. On the north side,

 See continuation sheet.

United States Department of the Interior
National Park Service

**National Register of Historic Places
Continuation Sheet**

Section number 7 Page 7.1

the original grade level has been substantially lowered, thereby exposing several feet of the concrete foundation on this side.

The interior was originally divided into three levels: a concrete ground level, a second level with wood floor carried on cast-iron columns and steel I-beams, and a "loft" level, carried on the lower chord of the roof trusses, consisting of a wooden T-shaped catwalk that extended longitudinally (east to west), the "stem" being a short segment leading into the "porch" on the north side. The removal of these levels occurred in 1930-34, when the building's function was completely changed as a result of the conversion of Fields Point from the chemical precipitation to activated sludge process.

United States Department of the Interior
National Park ServiceNational Register of Historic Places
Continuation SheetSection number 8 Page 8.1

a precipitate, carrying suspended and colloidal matter, which was settled out in tanks. Thus, the Chemical Building represented the first step in the process as used at Fields Point. Its functions were to receive and store the lime and ferrous sulfate, mix appropriate portions of each together, and, via drains, introduce the chemicals into the raw sewage entering an open "mixing channel" at the east end of the 88-inch main from the Ernest Street Pumping Station.

In the building, the ground floor, which included a tool room at the east end, was furnished with concrete mixing vats and steel mixing tanks, in the latter of which compressed air was used to reduce the chemicals to solution. The chemicals (prior to mixing) were stored on the second level in large wooden bins approximately 10 feet high.

The chemicals were brought in rail cars to the freight porch on the north side of the building. At the time, the grade level on this side was about 7 feet above that on the south: thus the chemicals could be wheeled directly from the cars into the building for immediate use. If they were not to be so used, the chemicals were hoisted through a trap door in the upper level of the porch (corresponding to the third level of the building proper) and deposited in the storage bins from the catwalk.

Eighty-six years after the Chemical Building was put into service, its original floor levels (despite removal of the upper levels) can still be identified, indicated by the pattern of fenestration, and the exterior design intent of the building remains readily appreciable. The freight porch also remains, with its tall round-arched unloading entry, and the (now blind) oculi that once illuminated its upper level. The wooden roof trusses also remain. The use of this material rather than steel (the latter was used in the nearby Sludge Press House, erected at the same time) appears to be directly related to the building's original use: wood was not subject to corrosion or other deterioration from the presence of the chemicals. The small unit at the west end of the building, originally called the "weir room", is believed to have been associated with the conduits or drains through which the mixed chemicals were introduced into the sewage.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 10 Page 10.1

Verbal Boundary Description:

The boundaries conform to the exterior dimensions or footprint of the Chemical Building, with overall measurements of 115' x 44'.


Boundary Justification:

Due to the extensive renovation and new construction at Fields Point, both after 1935 and in process today, features adjacent to or in the vicinity of the Chemical Building which in the past could be associated with this resource and contribute to its significance have been completely removed or altered beyond reasonable recognition of their original character. While Fields Point continues to perform, in a broad sense, its historic function, the built environment in which the Chemical Building achieved significance no longer exists. Restriction of the boundary to the outer edges of the structure permits inclusion of all significant elements, and excludes no features which contribute to the importance of the resource.


CHEMICAL HOUSE
FOR
Sewage Disposal Plant
at
Fields Point, Providence R.I.

Scale $\frac{1}{4}$ inch per foot.


Chas. F. Clapp City Engineer




Longitudinal Sectional Elevation.
Looking South.



Framing Plan for Loft floor.



Transverse Sectional Elevation.



Section thro Freight Porch.

CHEMICAL HOUSE
 FOR
 Sewage Disposal Plant
 at
 Fields Point, Providence R. I.

Scale $\frac{1}{4}$ inch per foot.

Otis F. Clapp City Engineer

8. Statement of Significance

Certifying official has considered the significance of this property in relation to other properties:

nationally statewide locally

Applicable National Register Criteria A B C D

Criteria Considerations (Exceptions) A B C D E F G

Areas of Significance (enter categories from instructions)
Community Planning and Development

Period of Significance
1900-1935

Significant Dates
1900

Cultural Affiliation
N/A

Significant Person
N/A

Architect/Builder
Office of the City Engineer,
Providence

State significance of property, and justify criteria, criteria considerations, and areas and periods of significance noted above.

The Chemical Building at Fields Point is significant in the area of Community Planning and Development under Criterion A for its association with the historical development of sewage treatment facilities in Providence. It represents a property type associated with the historic context Historic and Architectural Resources of Providence, 1636-present (The Making of a Metropolis, 1865-1945; Public Works and Utilities: Sewage Treatment, 1895-1935). This property type consists of buildings and structures designed and built to function in the processing and treatment of sewage, constructed under city auspices between 1895 and 1935. The Chemical Building conforms to this property type definition, having been built in 1900-1901 as an integral component of Providence's then-new sewage treatment plant at Fields Point, which was put into service in April, 1901. The building's associational importance is two-fold: it is one of two remaining structures that date from the original construction of the facility, and it is the only one that can be directly associated with the chemical precipitation process that was used to treat sewage here from 1901 until the conversion of the plant to the activated sludge process in 1930-34. Although the original process was discontinued, and the building correspondingly remodeled for a new use, it retains (despite several detracting treatments to windows) much of its original exterior architectural character, as well as several features that specifically recall its original function. As such the Chemical Building retains a sufficient level of integrity, in terms of location, design, materials and workmanship to convey the association for which it is important.

As the name suggests, chemical precipitation was a process by which chemicals (in this case lime and ferrous sulfate) were added to raw sewage to facilitate deposition of solids by forming

See continuation sheet

9. Major Bibliographical References

City Engineer, Providence, Annual Reports for 1899, 1900, 1901.
Narragansett Bay Commission, Drawing Files, FP-139 through
FP-146; FP-382 through FP-384.

Hardenbergh, W.H. Sewerage and Sewage Treatment (second edition).
International Textbook Co., Scranton, PA, 1942.

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67) has been requested
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey # _____
- recorded by Historic American Engineering Record # _____

See continuation sheet

Primary location of additional data:

- State historic preservation office
- Other State agency
- Federal agency
- Local government
- University
- Other

Specify repository:

Narragansett Bay Commission

10. Geographical Data

Acreage of property less than one acre

UTM References

A

1	9	3	0	1	3	8	0	4	6	2	9	5	2	0
Zone				Easting				Northing						

C

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

B

Zone				Easting				Northing						

D

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

See continuation sheet

Verbal Boundary Description

See continuation sheet

Boundary Justification

See continuation sheet

11. Form Prepared By

name/title Martha H. Bowers, Architectural Historian
organization Louis Berger & Associates, Inc. date September, 1987
street & number 20 Williams Street telephone 617-235-5874
city or town Wellesley state MA zip code 02181



CHEMICAL (BLOWER) BUILDING, FIELDS POINT
PROVIDENCE, RI

PHOTO: M. H. BOWERS

JULY 1987

NEG. BY: LOUIS BERGER & ASSOC., INC.
EAST ORANGE, NJ

VIEW: LOOKING NORTHEAST

X |



CHEMICAL (BLOWER) BUILDING, FIELDS POINT
PROVIDENCE, RI

PHOTO: M. H. BOWERS
JULY 1987

NEG. BY: LOUIS BERGER & ASSOC., INC.
EAST ORANGE, NJ

VIEW: LOOKING SOUTHEAST

#2



CHEMICAL (BLOWER) BUILDING, FIELDS POINT

PROVIDENCE, R I

PHOTO: M. H. BOWERS

JULY 1987

NEG. AT: LOUIS BERGER & ASSOC., INC.

EAST ORANGE, NJ

VIEW: INTERIOR, LOOKING SOUTHWEST FROM
CATWALK ON SECOND LEVEL

#3



CHEMICAL BUILDING, FIELDS POINT
PROVIDENCE, RHODE ISLAND
UTM: 19/301380.4629520

PROVIDENCE

PROVIDENCE HARBOR

EAST PROVIDENCE

Franciscan Convent
Kenyon St Sch
Bridgman Sch
Central High Sch
St Charles Sch
St Joseph Hospital
St Michaels Sch
Lexington Ave Sch
Elmwood
Sackett St Sch
Roosevelt Lake
Pleasure Lake
Edgewood
Norwood Ave Sch
St Pauls Sch
Edward Rhodes Sch
Fenner Pond
Park View Jr High Sch

City Hall
Courthouse
Brown University
Bryant College
Rhode Island Hospital
St Providence Sch
Oxford St Sch
Thurber Ave Sch
Roger Williams Jr High Sch
Broad St Sch
St Matthews Sch
Barrows Sch

India Pt Radio Tower (WICE)
Fox Pt
Wilkes Barre Pier
Dolphin State Pier
Harbor Junction Wharf
Sassafras Pt
City Pier
Kettle Pt
Fields Point
Edgewood Yacht Club
Stillhouse Cove Park
Pawtuxet Reservation